Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities of the United States.

ALABAMA—*Mobile.*—Month of December, 1899. Estimated population, 37,817. Total number of deaths, 89, including enteric fever, 1, and 11 from phthisis pulmonalis.

Montgomery.—Three months ended December 31, 1899. Census population, 21,883. Total number of deaths, 83, including diphtheria, 3; enteric fever, 6, and 10 from phthisis pulmonalis.

CALIFORNIA—*San Francisco.*—Month of December, 1899. Estimated population, 360,000. Total number of deaths, 571, including diphtheria, 8; enteric fever, 11; measles, 1, and 83 from phthisis pulmonalis.

ILLINOIS—*Chicago.*—Month of October, 1899. Estimated population, 1,650,000. Total number of deaths, 1,961, including diphtheria, 93; enteric fever, 44; measles, 5; scarlet fever, 35; whooping cough, 5, and 204 from phthisis pulmonalis.

IOWA—*Des Moines.*—Month of December, 1899. Estimated population, 78,000. Total number of deaths 66, including diphtheria, 1; enteric fever, 1, and 13 from phthisis pulmonalis.

MASSACHUSETTS—*Lawrence.*—Month of December, 1899. Estimated population, 58,500. Total number of deaths, 84, including diphtheria, 8, and 8 from tuberculosis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended January 20, 1900, from 75 observers, indicate that enteric fever and measles increased in area of prevalence. Phthisis pulmonalis was reported present at 184, measles at 105, scarlet fever at 100, enteric fever at 53, diphtheria at 42, whooping cough at 32 places, cerebro spinal meningitis at 1 place, and smallpox at 1 place.

MINNESOTA—*Minneapolis.*—Month of December, 1899. Estimated population, 225,602. Total number of deaths, 156, including diphtheria, 6; enteric fever, 7; scarlet fever, 1, and 21 from phthisis pulmonalis.

OHIO—*Bellaire.*—Year ended December 31, 1899. Estimated population, 12,000. Total number of deaths, 146, including diphtheria, 1; enteric fever, 8; whooping cough, 2, and 16 from phthisis pulmonalis.

Columbus.—Month of December, 1899. Estimated population, 140,000. Total number of deaths, 120, including diphtheria, 5; enteric fever, 1, and 16 from phthisis pulmonalis.

Toledo.—Month of December, 1899. Estimated population, 150,000. Total number of deaths, 136, including diphtheria, 12; enteric fever, 5; measles, 1; scarlet fever, 2, and 6 from phthisis pulmonalis.

TENNESSEE—*Memphis.*—Year ended December 31, 1899. Estimated population, 61,747—white, 31,417; colored, 30,330. Total number of deaths, 1,369—white, 615; colored, 754; including diphtheria, 5; enteric fever, 23; measles, 1; scarlet fever, 2, and 189 from phthisis pulmonalis.

WASHINGTON—*Seattle.*—Month of December, 1899. Estimated pop-

ulation, 80,000. Total number of deaths, 54, including enteric fever, 1, and 8 from phthisis pulmonalis.

Tacoma.—Month of December, 1899. Estimated population, 50,000. Total number of deaths, 25, including scarlet fever, 2, and 3 from phthisis pulmonalis.

WISCONSIN—*Milwaukee.*—Month of December, 1899. Estimated population, 285,000. Total number of deaths, 320, including diphtheria, 18; enteric fever, 4; measles, 3; scarlet fever, 7; whooping cough, 3, and 29 from phthisis pulmonalis.

MORTALITY TABLE, CITIES OF THE UNITED STATES.

Cities.	Week ended.	Population, U. S. Census of 1890.	Total deaths from all causes.	Deaths from— Tuberculosis.	Yellow fever.	Smallpox.	Varioloid.	Cholera.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Allegheny, Pa	Jan. 27	105,287	42	6						1				
Ashtabula, Ohio	do	8,338	4											
Baltimore, Md	do	434,439	225	18						4		9	1	1
Baton Rouge, La	Jan. 20	10,478	0											
Do	Jan. 27	10,478	2											
Battle Creek, Mich	Jan. 20	13,197	0											
Bay City, Mich	do	27,839	8	1										
Binghamton, N. Y	Jan. 27	35,005	15	3										
Boston, Mass	do	448,477	208	33						3	4	12	1	1
Brockton, Mass	Jan. 13	27,294	14	2						1		1		
Do	Jan. 20	27,294	6	1						1				
Butler, Pa	Jan. 16	8,734	8									1		
Cambridge, Mass	Jan. 27	70,028	24	2						1		5		
Camden, N. J	do	58,313	27									2		
Carbondale, Pa	Jan. 14	10,832	5											
Do	Jan. 21	10,832	5											
Charleston, S. C	Jan. 20	a54,955	b26	3										
Chelsea, Mass	do	27,909	12	1										1
Chicopee, Mass	do	14,050	9	1										
Do	Jan. 27	14,050	5											
Chillicothe, Ohio	Jan. 20	11,288	5											
Cincinnati, Ohio	Jan. 19	296,908		15							2	1		1
Cleveland, Ohio	Jan. 27	261,353	116	3						4		6		
Clinton, Mass	do	10,424	4											
Dayton, Ohio	do	61,220	30	3										
Detroit, Mich	Jan. 20	205,876	87	2						1			1	
Dover, N. H	do	12,790	0											
Dubois, Pa	do	6,149	1											
Do	Jan. 27	6,149	1											
Dunkirk, N. Y	Jan. 20	9,416	4											
Elmira, N. Y	do	29,708	8	1										
Evansville, Ind	Jan. 27	50,756	14	4						2				
Everett, Mass	Jan. 20	11,068	6											
Fall River, Mass	Jan. 27	74,398	29	2										
Fitchburg, Mass	Jan. 20	22,037	8											
Galveston, Tex	Jan. 5	29,084	18	3										
Do	Jan. 12	29,084	14	2										
Gloucester, Mass	Jan. 27	24,651	4											
Green Bay, Wis	Jan. 21	9,069	8									1		
Greenville, S. C	Jan. 27	8,607	2	1										
Hamilton, Ohio	Jan. 20	19,565	2	1										
Haverhill, Mass	Jan. 27	27,412	7	1										
Holyoke, Mass	dc	35,637	13	1							1			
Honolulu, Hawaii	Jan. 6	35,000	c40							5				
Houston, Tex	Jan. 13	27,557	22	2										
Do	Jan. 20	27,557	19	3						1				
Huntington, W. Va	do	10,108	1											
Indianapolis, Ind	Jan. 21	105,436	31	3								2		
Jackson, Mich	Jan. 6	20,798	6	1										
Do	Jan. 13	20,798		1										
Do	Jan. 20	20,798								1				
Do	Jan. 27	20,798		1						1				
Jersey City, N. J	Jan. 21	163,003	79	4						1	3	1		

a Estimated population, 65,165—white, 28,870; colored, 36,295. *b* White, 8; colored, 18.
c Plague, 6.